



Stepper Motor Controller

This stepper controller is an inexpensive device for open or closed loop positioning of one or two axes. It has a keypad and backlit LCD for input/display. The controller can drive 2 axes and has I/O for microstepping drivers, encoders and home switches for both axes. The supplied control program is optimized for rotary stages. The controller has programmed routines for point-to-point motion with trapezoidal speed profiles and continuous motion with adjustable speed. The controller runs either standalone using the keypad and LCD, or under computer control using a serial interface.

SPECIFICATIONS

- High-speed microcontroller based instrument
- 2 axis stepper motor control 12.5 - 25,000 pps each axis
- Built-in support for quadrature encoders up to 100 kHz pulse rate
- Peripheral ICs accurately generate stepper pulses, read encoders
- 7 digital inputs, 8 digital outputs each axis
- Screw terminal connections for I/O signals
- 4x40 character LCD display
- 16-key numeric and function keypad
- RS-232 connectivity @ 19200 baud
- Runs off 7-40 VDC
- Generates 5 VDC @ 1A (switching supply) for logic (drivers, encoders, etc.)
- 10"x7"x4" enclosure

Related products: LS-100 Motorized Rotary Stage, HS-100 Motorized Rotary Stage

Please consult us if your requirements call for different specifications or if you need custom engineering of this product or related products.

LEXITEK Inc.

14 Mica Lane #6, Wellesley, MA 02481-1708

Tel: (781) 431-9604 Fax: (781) 431-9605

www.lexitek.com